

SEISMIC-RNA Developer Manual

Version 0.20.1
2024-08-27



©2024, the Rouskin Lab.

This file is part of SEISMIC-RNA.

SEISMIC-RNA is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

SEISMIC-RNA is distributed in the hope that it will be useful, but WITH NO WARRANTY; not even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with SEISMIC-RNA. If not, see <https://www.gnu.org/licenses/>.

Contents

1	Releases	4
1.1	Versioning	4
1.1.1	Why and when to release a new version	4
1.1.2	How to number a new version	4
1.1.3	Where to define the version number	5
1.2	Releasing on each platform	5
1.2.1	Releasing on GitHub	5
1.2.2	Releasing on PyPI	6
1.2.3	Releasing on Bioconda	7

List of Figures

Chapter 1

Releases

This chapter explains how to release a new version of SEISMIC-RNA.

1.1 Versioning

1.1.1 Why and when to release a new version

Release a new version when you have made a significant change to the software that you want to share with other users. Do not release a new version if any unit tests failed on the most recent commit, which is indicated by either a green checkmark (all successful) or red X (one or more failures) beside the name of the most recent commit on the main page of the repository (<https://github.com/rouskinlab/seismic-rna>). You can also navigate to the “Actions” tab and check that all workflow runs with the name of the most recent commit have a green checkmark (not a red X) next to them (there will be more than one run per commit, so make sure to check ALL runs for the most recent commit).

1.1.2 How to number a new version

SEISMIC-RNA uses semantic versioning in which each version comprises three non-negative integers separated by periods and an optional pre-release tag:

Major version Increase when the new version introduces a major change that fundamentally changes how SEISMIC-RNA works and/or is mostly incompatible with previous versions. These types of changes should happen rarely, less than once annually. A major version of 0 indicates that the version is a pre-release and not yet considered stable, so that increases in the minor version may also indicate major backwards-incompatible changes.

Minor version Increase when the new version introduces new features, removes minor features, and/or makes minor backwards-incompatible changes for which there are workarounds. Ideally, any backwards-incompatible changes will be forewarned by deprecation notices. Reset the minor version to 0 whenever the major version increases.

Patch Increase when the new version makes a small improvement (such as fixing a bug or optimizing an algorithm) that causes little to no change to the user interface and would not be noticed by users who had not encountered the issue that this release fixes. Reset the patch to 0 whenever the minor version increases.

Pre-release tag Append to the version number when the current version is a pre-release (i.e. not considered stable or definitive). This tag can contain any letters and numbers (but cannot start with a number) and should briefly describe the nature of the pre-release, such as “alpha”, “beta”, or “dev1”. Do not include a pre-release tag on a production version of the code.

1.1.3 Where to define the version number

The version number is defined in `src/seismicrna/core/version.py` as `__version__`.

1.2 Releasing on each platform

SEISMIC-RNA is released on three platforms:

- GitHub, as source code
- Python Package Index (PyPI), for pip install
- Bioconda, for conda install

1.2.1 Releasing on GitHub

The first time you release on GitHub

1. Create an account on GitHub and obtain permission to modify the SEISMIC-RNA repository (<https://github.com/rousseinlab/seismic-rna>).

Every time you release on GitHub

1. Make sure you have committed and pushed everything you want to release to the GitHub repository; importantly, make sure that the version number defined in the source code (`src/seismicrna/core/version.py`) is up-to-date.
2. Open the repository in a web browser, find the “Releases” panel on the right sidebar, and click “Create a new release”.
3. On the new page that opens, you will need to write information about the release.
4. Select “Choose a tag” and in the box labeled “Find or create a new tag” type the version number of the new release prefaced by a “v”, e.g. “v2.7.18”. Make sure the new tag is exactly a “v” followed by the version number, or else releasing on Conda will not work.

5. Give this release a “Release title” of up to 10 words that succinctly describes the main point of this release.
6. Write a more detailed description in “Describe this release” that begins with “What’s new in x.y.z” where “x.y.z” is the version. Describe new features, removed features, bug fixes, changes to the user interface, etc. in bullet-point format, ideally with sub-headings for each category of changes.
7. Move the cursor to the bottom of the text box and click “Generate release notes” to add a summary of all commits, pull requests, etc. associated with this release.
8. If this is a pre-release, check the box “Set as a pre-release” at the bottom.
9. Click “Publish release” when you are finished.
10. You can edit or delete the release afterwards if it contains a significant mistake.

1.2.2 Releasing on PyPI

The first time you release on PyPI

1. Create an account on PyPI and obtain permission to modify the SEISMIC-RNA project (<https://pypi.org/project/seismic-rna>).
2. Install `build` (to build the package) and `twine` (to upload the package):

```
pip install build
pip install twine
```

Every time you release on PyPI

1. Make sure `build` and `twine` are up to date:

```
pip install -U build
pip install -U twine
```

2. Make sure the code, including the version in `src/seismicrna/core/version.py`, is correct. You CANNOT edit a PyPI release after it has been uploaded, nor can you delete it and upload a revision with the same version number.
3. Ensure that all unit tests succeed by running `seismic +test`. Do not release the code if any tests fail.
4. Navigate to the main directory `seismic-rna`; if it already contains a directory called `dist`, then delete `dist`.

5. Build the package:

```
python -m build
```

6. The source (.tar.gz) and wheel (.whl) files for the package will appear in the new directory `dist`. Make sure the version number of each file is correct.
7. Upload the package to PyPI:

```
python -m twine upload dist/*
```

Enter your PyPI API token to authenticate when prompted.

8. Navigate to the SEISMIC-RNA releases page (<https://pypi.org/project/seismic-rna/#history>) to confirm that the version was uploaded successfully. The new version will be installable with `pip install seismic-rna` within several minutes.

1.2.3 Releasing on Bioconda

These steps are adapted from the Bioconda contribution instructions: <https://bioconda.github.io/contributor/index.html>. Refer to these instructions (and their links) if you need to troubleshoot this workflow.

The first time you release on Bioconda

1. Create an account on GitHub.
2. Fork the Bioconda Recipes repository by navigating to <https://github.com/bioconda/bioconda-recipes> and clicking “Create a new fork” in the drop-down menu underneath “Fork” in the upper right panel.
3. Clone your fork of the repository (so you can modify it on your computer) by typing `git clone https://github.com/<USERNAME>/bioconda-recipes.git`, while replacing `<USERNAME>` with the username you used to fork the repository.
4. Create a new Conda environment and install the Bioconda developer tools by typing `conda create -n bioconda -c conda-forge -c bioconda bioconda-utils`.

Every time you release on Bioconda

1. Release this version of the software on GitHub (see above). Make sure to give it the tag “v” followed by the version number, otherwise building the metadata file for Conda will fail.
2. Create the Conda recipe files by navigating to the main directory `seismic-rna` and typing `python make_conda_recipe.py`. This will create or update the Conda recipe files `build.sh` and `meta.yaml` in the directory `conda`.
3. Navigate to the directory into which you cloned the Bioconda Recipes repository and bring it up-to-date with the master branch by typing

```
git checkout master
git pull upstream master
git push origin master
```

4. Create a new branch for the new version, e.g. called `seismic-rna_v2.7.18`, by typing `conda checkout -b seismic-rna_v2.7.18`.
5. Copy `build.sh` and `meta.yaml` from `seismic-rna/conda` (in your SEISMIC-RNA repository) to `recipes/seismic-rna` (in your Bioconda Recipes repository).
6. Activate your bioconda environment by typing `conda activate bioconda`.
7. Lint your updates by typing `bioconda-utils lint --packages seismic-rna` and confirm that it prints an OK message, not “Errors were found”.
8. Test building the package typing `bioconda-utils build --packages seismic-rna` and confirm that it prints an OK message, not “Errors were found”.
9. Once both linting and building succeed, push the updates to your fork of Bioconda Recipes by typing

```
git add recipes/seismic-rna/*
git commit -m "Update seismic-rna"
git push
```

10. Bioconda is set up to detect version updates and create pull requests automatically. To check if a pull request was created for you, navigate to the Bioconda Recipes GitHub repository Pull Requests tab (<https://github.com/bioconda/bioconda-recipes/pulls>) and check if one of the most recent pull requests matches the name of your commit.

11. If not, then create a pull request manually by navigating to your fork of Bioconda Recipes on GitHub. If you see a message near the top that says a recent branch had changes, click “Compare and Pull Request”; otherwise, go to the Pull Requests tab and click “New pull request” in the upper right corner to create your pull request.
12. Navigate back to the Bioconda Recipes GitHub repository Pull Requests tab (<https://github.com/bioconda/bioconda-recipes/pulls>) and confirm that your pull request has been opened. Monitor the status badge beside the commit message and wait until turns from an orange circle (pending) into a green checkmark (success) or red X (failure).
13. If it fails, then check the failure messages and revise the `build.sh` and `meta.yaml` files. If you need help, then you can ask the Bioconda maintainers.
14. Once it succeeds, then the Bioconda maintainers should eventually (within several days) merge your pull request, and the new version will be ready to install with the command `conda install -c bioconda seismic-rna`. Before it is merged, check back periodically for any messages from the Bioconda maintainers.
15. Delete your local branch by typing `git branch -d seismic-rna_v2.7.18` and also delete the branch on your fork of the Bioconda Recipes GitHub repository, as they are no longer needed.